



**AES DRILLING FLUIDS**

[www.aesfluids.com](http://www.aesfluids.com)

© 2024 AES Drilling Fluids. All rights reserved. The information provided is for informational purposes and is believed to be accurate, although this cannot be guaranteed. No guarantees or warranties are stated or implied. <sup>†</sup>Marks of AES Drilling Fluids, LLC.

Revision 1.01

# ECM 2<sup>†</sup>

OPTIMIZED BLEND OF MEDIUM AND COARSE-SIZED NATURAL MATERIALS

## BENEFITS

- Optimized blend of fine and medium-sized natural materials, fibers, and cellulose to treat a broad set of loss scenarios.
- Complements ECM 1 particle size distribution to minimize products on location.

## APPLICATIONS

- 5 - 10 lb/bbl of ECM 1 and ECM 2 for background treatments and seepage/partial loss control.
- 15 - 30+ lb/bbl ECM 1 and ECM 2 for pill treatments.
- Performs in combination with other lost circulation materials.

## PROPERTIES

- Particle size distribution (Typical, microns).
- Appearance: Brown powder
- Specific Gravity: 1.29

## TREATMENT RECOMMENDATIONS

Treatment requirements will vary by loss scenarios. A combined 5 - 10 lb/bbl of ECM 1 and ECM 2 aid as a background treatment for loss prevention and to control seepage or partial losses.

As a lost circulation pill, apply 15 - 30+ lb/bbl of ECM 1 and ECM 2. Increase concentrations as needed. ECM 1 and ECM 2 can be combined with ENERLOC<sup>†</sup> to seal even larger fractures, if necessary.

While much of the ECM 1 distribution can pass through shakers, additional ECM 2 may be required to maintain coarse material concentration.

As with any lost circulation material, confirm that surface and downhole equipment will tolerate the distribution and concentration of particles present prior to use.

Particle Size Distribution  
(typical, microns)

D <sub>10</sub>	40
D <sub>50</sub>	250
D <sub>90</sub>	1200

## PACKAGING AND HANDLING

ECM 2 is available in 40 lb sacks. Handle ECM 2 as an industrial chemical, wearing protective equipment and observing precautions as described in the Safety Data Sheet (SDS).



ECM 2 provides medium to coarse component of the complementary ECM 1 and ECM 2 products



AES DRILLING FLUIDS